

2026 Catalog

Wei's International Trading Corp
347-268-6865 , 718-815-5600
weisled@msn.com



10-60 Degree Beam Adjustable LED Track Head

NEW



Product Information	
Item No.	WG 652B (black) & WG 652W (white)
Wattage	20W
Input Voltage	AC120v 60Hz
Track Adapter	H-type
5CCT Adjustable	27/30/35/40/50K
CRI	CRI95
Beam Angle	10-60 Degree Bean Adjustable
Size	W2.95"x L 6.22"x H6.1"
Dimming	Triac Dimming 100%-10%
Lumens	2500Lm. Maximum
Projected Life	50000Hrs
Rotation	355 Degree Horizontal
Tile	90 Degree Vertical
Certification	ETL,UL

Technical Drawing:



3 COLOR IN 1 TRACK LIGHTING



Item No:

WG 532B & WG 532W

Wattage: 20W Black & White

CCT: 3000K/4000K/5000K

16 Pcs/cs

Item No:

WG 531B & WG 531W

Wattage: 10W Black & White

CCT: 3000K/4000K/5000K

20 Pcs/cs

B: Black W: White

- ❖ 3CCT changeable : 3000k /4000k /5000k
- ❖ 38 ° Angle
- ❖ Dimmable !
- ❖ CRI > 90
- ❖ Input: 120V / 50-60 Hz
- ❖ Chip Brand: Bridgelux LED
- ❖ Warranty: 3 Years

LED Track Light 5CCT Changeable



■ BLACK

□ WHITE

❖ *5 CCT changeable*

❖ *38° Angle*

❖ *Dimmable*

❖ *CRI > 90*

❖ *1000 Lumens*

❖ *Input: 120V / 50-60 Hz*

❖ *Warranty: 30000 hours*

5CCT changeable:
2000K/3000K/4000K
/5000K/6000K

Item No.

WG 551B & WG 551W
10W Black & White
Size: 2.95"x 2.36"x 5.1"
50Pcs/cs

LED Track Light 3CCT Changeable



■ BLACK

□ WHITE

- ❖ 3CCT changeable : 3000k /4000k /5000k
- ❖ 38 ° Angle
- ❖ Dimmable !
- ❖ CRI > 80
- ❖ Input: 120V / 50-60 Hz
- ❖ Chip Brand: Bridgelux LED
- ❖ Warranty: 4 Year

Item No.

WG 312W

12W White

Size: L 4.75"x W 2.4"x H 6.3"

50 pcs/cs

Item No.

WG 325W

25W White

Size: L 5.1"x W 3.1"x H 7.1"

20 pcs/cs

LED Track Light Single Color



■BLACK □WHITE
 ❖24° Angle
 ❖W/ 38° lens
 ❖Lumens: 789
 ❖20 Pcs/cs

WG 105B
 WG 105W
 10W 5000K

Exchange Lens



■BLACK
 ❖38° Angle
 ❖W/ 24° lens
 ❖Lumens: 1315
 ❖10 Pcs/cs

WG 155B
 15W 5000K

AC 120V / 24° & 38° BEAM/
 DIMMABLE



■BLACK □WHITE
 ❖38° Angle
 ❖W/ 24° lens
 ❖Lumens: 3295
 ❖8 Pcs/cs

WG 353W
 35W 3000K

WG 355B
 WG 355W
 35W 5000K

WG 0001
 oBarndoors



LED Track Light Single Color



■ BLACK

□ WHITE

- ❖ 36 ° Angle
- ❖ Dimmable
- ❖ CRI > 80
- ❖ Light Efficiency: 80 Lums/W
- ❖ Track Head: Hallo
- ❖ Input: 120V / 50-60 Hz
- ❖ Chip Brand: Philips
- ❖ Warranty: 3 years

Exchange Lens
15° -25°
Angle



WG 012 /12W
WG 025 /25W

Item No.

WG 1123W
12W 3000K
20 Pcs/cs

WG 1125B & WG 1125W
12W 5000K
20 Pcs/cs

WG 1255B & WG 1255W
25W 5000K
10 Pcs/cs

12w Size: 6"x 2.5"x 6.2" 25w Size: 7.2"x 3.1"x 6.6"
(B=Black, W=White)

GU 10 TRACK LIGHT FIXTURE





Not include GU10 Light Blub !



B: Black or W: White

- ❖ Item No. **WG 87B & 87W**
- ❖ Watt: **GU10/ Max 60W**
- ❖ Voltage: **120V / 50-60 Hz**
- ❖ **24 Pcs/cs**

- ❖ Item No. **WG 86B & 86W**
- ❖ Watt: **GU10/ Max 60W**
- ❖ Voltage: **120V / 50-60 H**
- ❖ **24 Pcs/cs**



GU 10 TRACK LIGHT FIXTURE




■BLACK

- ❖ Item No. **WG 85B**
- ❖ Watt: **GU10/ Max 50W**
- ❖ Voltage: **120V / 50-60 Hz**
- ❖ **60 Pcs/cs**

□WHITE

- ❖ Item No. **WG 85W**
- ❖ Watt: **GU10/ Max 50W**
- ❖ Voltage: **120V / 50-60 H**
- ❖ **60Pcs/cs**

Measurement: “mm”



Not include GU10 Light Blub !

MR 16 TRACK LIGHT FIXTURE



Not include MR16 Light Blub !



☐WHITE & ■BLACK

- ❖Item No. **WG42 W or B**
- ❖Watt: **MR 16/ Max 60W**
- ❖Output : **Voltage: 12V**



☐WHITE

- ❖Item No. **WG120**
- ❖Watt: **MR16/ Max 60W**
- ❖Output : **Voltage: 12V**



■BLACK

- ❖Item No. **WG371**
- ❖Watt: **MR 16/ Max 60W**
- ❖Output : **Voltage: 12V**



■BLACK

- ❖Item No. **WG123**
- ❖Watt: **MR 16/ Max 60W**
- ❖Output : **Voltage: 12V**

3CCT GU10 8W 500LM CRI: 85

Item: WB 8603

NEW



Item Information	
Item No.	WB 8603
Wattage	8w
Primary Replacement	75w
Color Temperature	3cct : 30/40/50k
Lumens	500
Base Cap	GU 10
Size : W X H	1.93" X2.3"
Life Time	25000hrs
Dimmable (Y/N)	Yes
Operating Temperature	-20/45°C
Warranty	3 Years
Environmental(RoHS/REACH)	RoHS
Certificate	UL/CUL

Dimension



5CCT PAR 20 8W 500LM CRI: 85

Item: WB 7507

NEW



Item Information	
Item No.	WB 7507
Wattage	8w
Primary Replacement	75w
Color Temperature	5cct : 27/30/35/40/50k
Lumens	500
Base Cap	E 26
Lamp Type	Par 20
Size : W X H	2.4" X3.1"
Life Time	25000hrs
Dimmable (Y/N)	Yes
Operating Temperature	-20/45°C
Warranty	3 Years
Environmental(RoHS/REACH)	RoHS
Certificate	UL/CUL

Dimension :



High Power LED Bulbs



GU10/ MR 16 LED Bulbs

- ❖ 12 -130V AC
- ❖ CRI > 85
- ❖ Dimmable
- ❖ 3 years warranty
- ❖ Beam Angle: $\geq 38^\circ$
- ❖ ≥ 800 Lumens



Item#	Description	Watt	Output	Lumen	Hours	Feature
-------	-------------	------	--------	-------	-------	---------



WB 8527

GU10 2700K

8W

110V

800

25000

Dim

WB 8550

GU10 5000K

8W

110V

800

25000

Dim

50 pcs/cs



WB 8127

MR 16 2700K

8W

12V

800

25000

Dim

WB 8150

MR 16 5000K

8W

12V

800

25000

Dim

50 pcs/cs



Light Bulbs



PAR. Light Bulbs

- ❖ 110 -130V AC
- ❖ CRI > 80
- ❖ Dimmable
- ❖ 3 years warranty
- ❖ Bean Angle: $\geq 38^\circ$
- ❖ Replacement: 75W



Item#	Description	Watt	Temp. Color	Lumen	hours	Feature
-------	-------------	------	-------------	-------	-------	---------



WB 7387WW	PAR20 3000K	8W	3000K	500	25000	Dim
WB 7387DL	PAR20 5000K	8W	5000K	500	25000	Dim

50 pcs/cs



WB 7388WW	PAR30 short neck 3000K	10W	3000K	800	25000	Dim
WB 7388DL	PAR30 short neck 5000K	10W	5000K	800	25000	Dim

50 pcs/cs



WB 7370WW	PAR38 3000K	16W	3000K	1300	25000	Dim
-----------	-------------	-----	-------	------	-------	-----

12 pcs/cs

High Level Bulbs

APPROVE



Par 20

WB 7325 CL, 10W 4000K 650 Lumens Dimmable !

24 pcs/cs



Par 30

WB 7326 WW, 17W 3000K 1100 Lumens Dimmable !

WB 7326 CL, 17W 4000K 1100 Lumens Dimmable !

18 pcs/cs



WB 7329 WW

BR30 2700K 17W 1100 Lumens, Dimmable!

WB 7329 DL

BR30 5000K 17W 1100 Lumens, Dimmable!

20 pcs/cs



WB 7330 WW

BR40 2700K 25W 1600 Lumens, Dimmable!

12 pcs/cs

MR 16 , GU10



100 pcs/cs

8MR16/DL

Item# WB7102

- ⇒ 12V, Daylight, 470 Lumens
- ⇒ Bi-Pin GU5.3, 38 Degree, Dimmable for Magnet!
- ⇒ 8 Watts



Item# WB7305

7E26/DL

- ⇒ 120V, Daylight, 360 Lumens
- ⇒ 38 Degree, Dimmable !
- ⇒ 7 Watts

Fixture for T8 Tube Light



ITEM NO.: WT 8012

- 2 ft. Single
- Dimension: 24.5"x1.5"x1"
- 15 pcs/cs



ITEM NO.: WT 8014

- 4 ft. Single
- Dimension: 48.5"x1.5"x1"
- 15 pcs/cs



ITEM NO.: WT 8018

- 8 ft. Single
- Dimension: 96.5"x2.0"x1.6"
- 6 pcs/cs



ITEM NO.: WT 8022

- 2 ft. Double
- Dimension: 24.5"x3"x1.5"
- 8 pcs/cs



ITEM NO.: WT 8024 *New*

- 4 ft. Double
- Heavy Duty
- Dimension: 48.5"x1.5"x1.5"
- 10 pcs/cs



ITEM NO.: WT 8028 *New*

- 8 ft. Double
- Heavy Duty
- Dimension: 96.5"x3.3"x1.6"
- 6 pcs/cs



T8 LED TUBE



5 CCT & 5 Wattage Tunable



Description:

- Universal Type A+B
- With & Without Ballast
- Life Time: 50000H+Lifetime
- Operating Temp: -4F Degree To 113F Degree
- 25 pcs/cs

Item No	Length	Color Temp.	Cover	Power(W)	Input
WT 8914 8904	4 Ft.	3000/4000/5000/5700 /6500K CCT	Frost & Clear	10w/12w/15w/18 w/24w Tunable	AC120- 277v 50/60HZ
WT 8918 8908	8 Ft.	3000/4000/5000/5700 /6500K CCT	Frost & Clear	24w/30w/50w/60 w/72w Tunable	AC120- 277v 50/60HZ

Type A + B 5000K

25 pcs/cs

Item No	WT 4F18W5KF Flost	WT 8302 Clear	WT 8312 Flost	WT 8512 Clear	WT 8512 Flost
Length	4 Ft.	2 Ft.	2 Ft.	2 Ft.	2 Ft.
Color Temp.	5000K	3000K	3000K	6000k	6000k
Power (W)	15W	10W	10W	10W	10W
Lumens	>2100lm	AC 85-265	AC 85-265	AC85-265	AC85-265

T8 LED TUBE



No ballast !

Clear Cover



Item No	WT 8304 Type A	WT 8404 Type A
Length	4 Ft.	4 Ft.
Color Temp.	3000K	4000K
Power (W)	20W	20W
Put In	AC 85 - 265	AC 85 - 265

Frost Cover



Item No	WT 8314 Type A	WT 8414 Type A
Length	4 Ft.	4 Ft.
Color Temp.	3000K	4000K
Power (W)	20W	20W
Put In	AC 85 - 265	AC 85 - 265


25 pcs/cs

T8 LED TUBE

APPROVE



Compatible! Dimmable! Both Sides power in !



Description:

- Compatible
- Ballast
- Dimmable
- Life Time: 50000H
- 25 pcs/cs

Item No	Length	Color Temp.	Cover	Power(W)	Input	Lumens
WT 8554	4 Ft.	5000K	Clear	18W	AC 85 - 265	1800
WT 8654	4 Ft.	6500K	Clear	18W	AC 85 - 265	1800

Integrate V - T8

Use for AC 100V - 277V



- **WT 8802 2FT.**

- 18W 6000K 96Pcs of SMD2853
- Alum.+PC **20 pcs/cs**

- **WT 8804 4FT.**

- 30W 6000K 192Pcs SMD2853
- Alum.+PC **20 pcs/cs**

WT 5002 12" Middle Connector



WT 5001 5FT. Power Cord w/ Switch



T5 LED TUBE







Item No	WT 5301	WT 5501	WT 5302	WT 5502	WT 5303	WT 5503	WT 5304	WT 5504
Size	1 Ft.	1 Ft.	2 Ft.	2 Ft.	3 Ft.	3 Ft.	4 Ft.	4 Ft.
Color Temp.	2700K	5500K	2700K	5500K	2700K	5500K	2700K	5500K
Power (W)	5W	5W	10W	10W	13W	13W	20W	20W
Lum.	450±8 %	450±8 %	900±8 %	900±8 %	1000 ± 8%	1000 ± 8%	1700 ± 8%	1700 ± 8%

T5 ACCESSORIES

Item No.	Description
WT 5001	4 Feet Power Cord
WT 5002	12 Inch Middle Connector



INSTALLATION



3"4" LED Adjust Gimbal Light



Item No. : WR 8000

- Gyre head
- Dimmable
- 120VAC 50/60Hz
- Wattage: 8W 960 Luminous
- 3000K/4000K/5000K CCT changeable
- 24° Beam Angle



Adjust Trim



Item No. : WR 803
3" white trim



Item No. : WR 804
4" white trim

Aluminum Channel

Use For 12V & 110V Strips

Item # WS 0132B

- ❖ 1 Meter long = 3.3 Ft.
- ❖ Aluminum Base & Frost Cover




Item # WS 0132C

- ❖ 8 ft. long
- ❖ Aluminum Base & Frost/Clear Cover
- ❖ 8.5 mm deep


Item # WS 0132D

- ❖ 8 ft. long
- ❖ Aluminum Base & Frost/Clear Cover
- ❖ 13 mm deep



Item # WS 0192

- ❖ 8 ft. long
- ❖ Aluminum Base & Frost/Clear Cover
- ❖ 10 mm deep



COB 120V LED STRIP



WS 0036

27-30K COB LED Strip

- 90-130V Strip light
- IP65 Waterproof
- 3.5W Per Foot
- 90 CRI
- 300 Lumens Per Foot
- Cut Points Every 10"
- 50M=165 Ft./roll
- 8mm PVC Cobb Tape
- Temp: -15°C~45°C
- 2 Year Warranty



WS 0037

6000K COB LED Strip

- 90-130V Strip light
- IP65 Waterproof
- 3.5W Per Foot
- 90 CRI
- 300 Lumens Per Foot
- Cut Points Every 10"
- 50M=165 Ft./roll
- 8mm PVC Cobb Tape
- Temp: -15°C~45°C
- 2 Year Warranty

ACCESSORIES

Power Cord

*8 Foot Aluminum Channel

Plastic Clip for 120V

120V End Caps

Item # WS0138C



Item # WS0132C



Item # WS0135



Item # WS0136



COB 12" Strip Light Middle Connector

Item # WS 0137C



120V 5050 RGB LED STRIP

WS 0030

165 ft./ Roll



- 110v RGB Strip Light
- < 9W/ 3.3 Ft.
- 60 led Chips / Meter
- 14-16Lm. per LED Chip
- 19.68 INCHES/cut
- 15mm Wide
- Temp: -30°C-45°C
- 100-130V AC IP67

WS 0156



- 110v RGB IR Controller 165ft.
- Input: 100-130V
- Current: 3*3A
- Power: 750W
- Control 160 Ft.
- 24 Key remote controller

WS 0155

- 110v RGB RF Controller 165ft.
- Input: 100-130V
- Current: 3*3A
- Power: 800W
- Control 160 Ft.
- 24 Key remote controller



ACCESSORIES

Item # WS0137

- * 9" Jump Feet
- * Use from Power to Strip Only



Item # WS0138

- * Power Cord



120V 5050 Single Color LED STRIP



WS 0034 (3000K) & WS 0033 (6000K)

165 ft./ Roll



- 165 ft./ Roll
- 6W / 3.3 Ft.
- 60 led Chips / Meter
- 20-22Lm per LED Chip
- 1 meter/cut
- 15mm Wide
- Temp: -30°C-45°C
- 100-130VAC IP67

ACCESSORIE



Item # WS0137S

**Middle Jump feet from Strip to Strip, 12" Length*

ACCESSORIES

Item # WS0138S

Power Cord



®

Switchable & Dimmable driver

12v/24v



60W

Item # WP 0060



- Input: 120-277Vac 50/60 Hz
- Output: 12v5A-24v2.5A
- Prated: 60W Max
- Suitable for Dry, Damp and Wet Locations
- **25 pcs/CS**

Size:
6.3"x2.9"x1.3"

100W

Item # WP 0100



- Input: 120-277Vac 50/60Hz
- Output: 12v 8.33A-24v 4.15a
- Prated: 100W Max
- Suitable for Dry, Damp and Wet Locations
- **20 pcs/CS**

Size:
6.5"x3.6"x1.5"

200W

Item # WP 0200



- Input: 120-277Vac 50/60Hz
- Output: 12v 16.5A-24v -8.26a
- Prated: 200W Max
- Suitable for Dry, Damp and Wet Locations
- **5 pcs/CS**

Size:
8.2"x3.7"x1.5"

300W

Item # WP 0300



- Input: 120-277Vac 50/60Hz
- Output: 12v 25A-24v -12.5A
- Prated: 300W Max
- Suitable for Dry, Damp and Wet Locations
- **5 pcs/CS**

Size:
10.2"x5.2"x1.7"

Dimmable Led Driver Output 12V



APPROVED

200W

Item # WS 146_UL200



- Input: AC100-240V
- Output: DC 12V
- 12V 5-in-1 Dimmable
- 0-100% Dimming
- Waterproof IP67

Size:
8"x3.5"x1.5"

LED DRIVER OUTPUT 24V



ITEM NO.	INPUT	OUTPUT	SIZE	IP RATING
WP 2601	AC 100-130V	DC24V Max 100W	5.8"x2"x1"	IP 20
WP 2602	AC 100-130V	DC24V Max 200W	8.6"x2"x1"	IP 20
WP 2603	AC 100-130V	DC24V Max 300W	9.5"x2"x1.2"	IP 20

TRANSFORMERS OUTPUT 12V

24W

Item # WS 0140



- Input: AC100-240V
- Output: DC 12V 2A

60W

Item # WS 0141



- Input: AC100-240V
- Output: DC 12V 5A

60W IP20

Item # WS 60WIP20



- Input: AC100-240V
- Output: DC 12V 5A

60W IP65

Item # WS 60WIP65



- Input: AC100-240V
- Output: DC 12V 5A

96W

Item # WS 0142



- Input: AC100-240V
- Output: DC 12V 8A

TRANSFORMERS OUTPUT 12V

150W IP20

Item # WS 150WIP20



- Input: AC 110-260V
- Output: DC 12V 12.5A

150W IP65

Item # WS 150WIP65



- Input: AC 110-260V
- Output: DC 12V 12.5A

250W IP20

Item # WS 0143



- Input: AC 110-260V
- Output: DC 12V 20A

250W IP65

Item # WS 250WIP65



- Input: AC 110-260V
- Output: DC 12V 20A

350W IP20

Item # WS 0144



- Input: AC 110-220V
- Output: DC 12V 29A

12V H (HIGH LEVEL) – RGB STRIP LIGHT



NON-WATERPROOF

Item # WS0010

- 4 Pin Male / Female
- 4 Pin / 1 Meter & 4 Pin / 5 Meter
- Use 150pcs 5050LED Chip / Roll
- 16.40 ft. / Roll, DC 12v, 36 W / Roll
- Best Quality Use: LED Chips, Circuit Board & Components

WATERPROOF

Item # WS0011

Parts Included



- 25 pcs of clip
- 2 pcs of black rubber cover
- 5 pcs of pin

12V M (MIDDLE LEVEL) – RGB STRIP LIGHT



M-GRB **300pcs** 5050chip
4 Pin (Male & Female)

Waterproof

Item # WS0042

✓ **16.4feet / Roll**

✓ **12 v Dc**

✓ **72 w / Roll**

✓ **4Pin(male,female)/**

Roll

CONTROLLERS & AMPLIFIERS For 12V RGB

Item # WS0169

44 Keys New Plastic GRB IR Controller



- ✓Power: 72 W
- ✓Input: 12 V Output: 6 A

Item # WS0165

New Mini RGB RF Controller



- ✓Power: 144 W (Can control 1 Roll only !)
- ✓Input: 5-24V / Output:12 V
- ✓22 Dynamic mode, 20 Static color

Item # WS0161

New Aluminum RGB RF Controller



- ✓Power: 144 W
- ✓Input: 12-24V / Output: Current:12V
- ✓With Dimmer Function

Item # WS0171 *Aluminum Amplifier*



- ✓Power: 144 W
- ✓Input / Output: 12V

Item # WS0170 *Mini Amplifier*



- ✓Power: 144 W(1 Roll only)
- ✓Input / Output: 5-24V

CONTROLLERS FOR 5/12/24V RGB

5/12/24 V RGB 360W RF CONTROLLER

Item # WS 0166



- **Supply Voltage:** DC5V/12V/24V
- **Remote Control Distance:** 20m
- **Power Output:** 5V/120W, 12V/360W , 24V/576W

5/12/24 V RGB 360W RF CONTROLLER


Item # WC 0001 w/ Touch Remote

Item # WC 0002 w/o Remote



Supply voltage	DC5V, 12V~24V optional (specify the required voltage on orders)
Output current	<8A(each channel)
Output power	5V:<120W, 12V:<360W , 24V:<576W

Wire Instruction for Job for Both Controller



ACCESSORIES FOR RGB STRIP

Directly Connect These Accessories To The Rolls

Item # WS0096

N4 T Connector



❖ Use for single & RGB

Item # WS0097

N4 L Connector



❖ Use for single & RGB

Item # WS0098

N4 Cross Connector



❖ Use for single & RGB

Item # WS0099

N4 Middle Connector



❖ Use for single & RGB

Item # WS0120

Cross Connector 4 Pin



❖ Use for single & RGB

Item # WS0121

12" Wire Connector 4 Pin



❖ Use for single & RGB

Item # WS0122

12" Cable Connector 4 Pin



❖ Male & Female

❖ Use for RGB strip

Item # WS0123

24" Cable Connector 4 Pin



❖ Male & Female

❖ Use for RGB strip

Accessories To Use After Custom Cuts Are Made

Item # WS0124

M4-Connect Box



❖ Middle Connector

❖ 4 clip

Item # WS0126

M4-Connector 6"



❖ 4 clip

Item # WS 0130

T Connector



Item # WS0125

H4-Connector 6"



❖ Head Connector

❖ 4 clip & 4 wire

Item # WS 0129

L Connector



Item # WS 0131

Cross Connector



Other Accessories

Item # WS0133

4 Wire Line



Sell by feet

❖ 1 Meter long

❖ Clear Plastic

12V H (High Level)- Single Color Strip



APPROVED



2700K

3000K

3500K

4500K

5500K

Item # **WS0024**

WS0020

WS0021

WS0022

WS0023


*** 12V * 36W/Roll * waterproof * 4 pin Male/Female ***

Parts Included



- 15" connector 1pc
- 20 pcs of clip
- 2 pcs of black rubber cover

12V - COB STRIP LIGHT



3000K

Item # WS0083

- ✓ 16.4feet / Roll
- ✓ 12 v Dc
- ✓ PCB (MM)_8MM
- ✓ 336LED/ M
- ✓ 16W / M
- ✓ 1400LM / M



6000K

Item # WS0084

- ✓ 16.4feet / Roll
- ✓ 12 v Dc
- ✓ PCB (MM)_8MM
- ✓ 336LED/ M
- ✓ 16W / M
- ✓ 1400LM / M



Item # WS 9083

Middle Connect

MEDIUM BRIGHT 12V 8MM

Random Cutting, Max Run 16.4 Ft.

NEW



Item No.	Color Temp
WS 0085	2700K
WS 0086	3000K
WS 0087	5500K

Description	Details
Length Per Pack	100 Feet Per Reel
Cut Internal	Anywhere
Voltage	12V DC
Max Run	16.4 Feet
Rating	IP 20
Watts Per Ft.	2.44 W/ Ft.
Efficiency	91 Lm. / W
Lumens Per Ft.	202/ 205/ 208
CRI	>85
Warranty	2 Years

MEDIUM BRIGHT 24V 8MM



Constant Current , Max Run 66 Ft.

NEW



ITEM NO.	Color Temp
WS 0827	2700K
WS 0830	3000K
WS 0855	5500K

Description	Details
Length Per Pack	66 Feet Per Reel
Cut Internals	1.9 " Per cut
Voltage	24V DC
Max Run	66 Feet
Rating	IP 20
Watts Per Ft.	2.29 W/ Ft.
Efficiency	91 Lm./ W
Lumens Per Ft.	202 / 205 / 208
CRI	>90
Warranty	5 Years

SUPER BRIGHT 24V 10MM



Max Run 32.8 Ft.

NEW



ITEM NO.	Color Temp
WS 1027	2700K
WS 1030	3000K
WS 1055	5500K

Description	Details
Length Per Pack	100 Feet Per Reel
Cut Internals	1.9 " per cut
Voltage	24V DC
Max Run	32.8 Feet
Rating	IP 20
Watts Per Foot	4.42 W/FT.
Efficiency	140 LM./W
Lumens	561/596/619
CRI	>90
Warranty	5 Years

ACCESSORIES FOR COB 12/24V

NEW

L/T CONNCTOR FOR 8MM & 10MM

Item No. WS9086



For 8 mm only



Item No. WS9106



For 10 mm only

MIDDLE CONNETOR FOR 8MM & 10MM COB 12V/24V

Item No. WS9083



Item No. WS9103



6" POWER CONNETOR FOR 8MM & 10mm COB 12V/24V

Item No. WS9084



Item No. WS9104



6" JUMP CONNETOR FOR 8 MM & 10MM COB 12V/24V

Item No. WS9085



Item No. WS9105



12V M (MIDDLE LEVEL) - Single Color 300 /Roll



- 300 pcs 5050 LED chip/roll
- 12V
- 16.4Ft./Roll
- DC head male/female
- 48 W /Roll

<u>3000K</u> <i>use 300 pcs 5050 LED chip/ roll</i>	None Waterproof Item# WS 0043	Waterproof Item# WS 0043W
<u>5500K</u> <i>use 300 pcs 5050 LED chip/ roll</i>	None Waterproof Item# WS 0044	
<u>Green</u> <i>use 300 pcs 5050 LED chip/ roll</i>	Waterproof Item# WS 0065	
<u>Blue</u> <i>use 300 pcs 5050 LED chip/ roll</i>	Waterproof Item# WS 0066	
<u>Red</u> <i>use 300 pcs 5050 LED chip/ roll</i>	Waterproof Item# WS 0067	
<u>Yellow</u> <i>use 300 pcs 5050 LED chip/ roll</i>	Non Waterproof Item# WS 0068	

Item # WS0116
N2 T Connector



Item # WS0117
N2 L Connector



Item # WS0118
N2 Cross Connector



Item # WS0109
N2 Connector 6"



Item # WS0119
N2 Connect Box



Accessories' details on P. 11

LED MODULE LIGHT, WATER PROOF , 12V



Item no: **WS 0070**

Color temp : **RGB** , High Brightness. 5050 LED Chips

Lumens : 120 Lumens / 3LED Chanel

Power : 0.72w/ 3LED Chanel

Length : 5 inch (Each Module :including wire)



Item no: **WS 0075**

Color temp : **6000-6500k**, High Brightness. 5730 LED Chips

Lumens : 165 Lumens / 3LED Chanel

Power : 1.44w / 3LED Chanel

Length : 5 inch (Each Module :including wire)



Item no: **WS 0071**

Color temp : **3000-3500k**, High Brightness. 5730 LED Chips

Lumens : 165 Lumens / 3LED Chanel

Power : 1.44w / 3LED Chanel

Length : 5 inch (Each Module :including wire)

DIMMER FOR SINGLE COLOR

Item # WS0182 *Mini Dimmer w/ Remote*



- Power: 144W
- Input: DC5-24V
- Output: 12A

Item # WS0180 *Dimmer Set*



- Power: 96W
- Input: DC12-24V
- Output: 8A

Item # WS0181 *Dimmer for Wall w/ Remote*



- Power: 72W
- Size: L3 3/8" x W3 3/8" x H1 5/8"
- Supply: DC12-24v, Current: 6A

ACCESSORIES FOR H-SINGLE COLOR

Directly Connect These Accessories To The Rolls

Item # WS0121

12" Wire Connector 4 Pin



❖ Use for single & RGB

Item # WS0120

Cross Connector 4 Pin



❖ Use for single & RGB

Item # WS0096

N4 T Connector



❖ Use for single & RGB

Item # WS0097

N4 L Connector



❖ Use for single & RGB

Item # WS0098

N4 Cross Connector



❖ Use for single & RGB

Item # WS0099

N4 Middle Connector



❖ Use for single & RGB

Accessories To Use After Custom Cuts Are Made

Item # WS0124

M4-Connect Box



❖ Middle Connector
❖ 4 clip

Item # WS0125

H4-Connector 6"



❖ Head Connector
❖ 4 clip & 4 wire

Item # WS0126


M4-Connector 6"



❖ 4 clip

Item # WS 0129

L Connector



Item # WS 0130

T Connector



Item # WS 0131

Cross Connector



Other Accessories



Item # WS0127 **15" Connector**

❖ DC & 4Pin Head



Item # WS0128 **T Connector 4 Pin**

❖ DC & 4Pin Head (Male & Female)



Item # WS0133 **4 Wire Line**

Sell by feet

ACCESSORIES FOR M-SINGLE COLOR

Use for 600 pcs LED chip

Item # WS0114

3DC Power Feet

❖ Use for M-Single color strip lights



Item # WS0115

1DC Power Feet

❖ Use for M-Single color strip lights



Item # WS0110

M2 Connect Box

❖ Middle Connector
❖ 2 clip



Item # WS0112

H2 Connector 6"

❖ With DC Head
❖ 2 clip & 2 wire



Item # WS0111

M2 connector 6"

❖ 2 clip



Use for 300 pcs LED chip

Item # WS0116

N2 T Connector

❖ Middle Connector
❖ 2 clip



Item # WS0117

N2 L Connector

❖ Middle Connector
❖ 2 clip



Item # WS0118

N2 Cross Connector

❖ Middle Connector
❖ 2 clip



Item # WS0119

N2 Connect Box

❖ Middle Connector
❖ 2 clip



Item # WS0109

N2 Connector w/ DC

❖ With DC Head
❖ 2 clip



•Item # WS0108

N2 Connector 6"

❖ 2 clip



H - CHASING STRIP LIGHT



Waterproof

Item # WS0002

- **114 Modes of Chasing Color Change**
- **Use 150pcs 5050LED Chip / Roll, 5 Pin Male/Female**
- **16.40 feet / Roll, DC 12v, 36 w / Roll**

Parts Included



- **25 pcs of clip**
- **2 pcs of pin**
- **2 pcs of black rubber cover**

H-CHASING ACCESSORIES

Item # WS0164

Chasing Controller



- ❖ Effect Mode= 114 modes of chasing color change
- ❖ Input/Output: DC12v only
- ❖ Current: <60MA
- ❖ Use for **High Level Chasing Strip**

Item # WS0100

T Connector 5 Pin



- ❖ Power Supply Connect
- ❖ Pin Connect
- ❖ Use for High Level Chasing

Item # WS0101

12" Wire Connector 5 Pin



- ❖ Use for High Level Chasing



Item # WS0102

Cross Connector 5 Pin





- ❖ Use for High Level Chasing

Instruction for 12v RGB Strip



Wire Instruction for 12V Single Color Strip



OUTDOOR FLOOD LIGHT

30W (DAYLIGHT)

Item # WO 4130



- ❑ 5500K
- ❑ Power: 30W
- ❑ Voltage: AC90-260V
- ❑ Luminous Flux: >1400lm
- ❑ Beam Angle: 120 Degrees
- ❑ Color Temp: Daylight
- ❑ Dimension: 7"x5.5"x4.5"
- ❑ Material: Aluminum
- ❑ Life Span: 50,000 hrs
- ❑ IP Grade: IP65

50W RGB w / REMOTE

Item # WO RGB50



- ❑ LED type: COB
- ❑ Power :50W
- ❑ Dimension:11"×9"×5.5"
- ❑ Input (V): 90~260V AC
- ❑ Lumens: 0 - 3850 lm
- ❑ Material: Aluminum
- ❑ IP grade: IP65

100W

Item # WO 4100



- ❑ Power: 100W
- ❑ Voltage: AC90-260V
- ❑ Luminous Flux: > 110Lm/W
- ❑ Color Temp: 6000k
- ❑ Dimension: 12.5"x9.5"x2.5"
- ❑ Material: Aluminum
- ❑ IP Grade: IP65

200W

Item # WO 4300



- ❑ Power: 200W
- ❑ Voltage: AC85-265V
- ❑ Luminous Flux: ≥110Lm/W
- ❑ Color Temp: 6000k
- ❑ Dimension: 18.5"x12.5"x2.5"
- ❑ Material: Aluminum
- ❑ IP Grade: IP65

LED DESK LAMP

Item # WD 290

White

Dimmable & CCT 30-60k



- ✓ **Power:** 12W
- ✓ **Input:** DC12V
- ✓ **Color Temperature:** CCT.3000K~6000K
- ✓ **Desk Lamp Size:** 41*18*20*44cm
- ✓ **Beam Angle:** 140 degree
- ✓ **Long Lifespan:** 50,000h
- ✓ **Warranty:** 2 years
- ✓ **Dimmable:** 0-100
- ✓ **Safe To Touch**
- ✓ **No Radiation ! No Ultraviolet ! No Flash !**